




The First Dock of Its Kind...  
***THE LAST DOCK YOU WILL EVER NEED.®***



FLOATING DOCK AND LIFT SYSTEMS



[www.ez-dock.com](http://www.ez-dock.com)  
800-654-8168

# EZ DOCK HUMMER STRONG

The patented flotation design and coupling system of EZ Dock provides more stability than traditional floating dock structures, and is virtually unsinkable under normal use.



## Why EZ Dock?

### IT'S EASY

EZ Dock was developed with the discriminating waterfront consumer in mind. After years of battling harsh weather conditions and having to install and remove docks seasonally, two innovative friends invented and patented the EZ Dock system that changed the dock industry forever. Backed by additional engineering and development after joining the PlayPower family of companies, EZ Dock offers the strongest and the most stable plastic floating dock and lift systems on the market.

More and more people have turned to EZ Dock for their residential and commercial uses, making it the industry leader in polyethylene docking systems and accessories.

### VERSATILE

No two waterfront properties are exactly the same, so why not choose the versatility of the EZ Dock modular system that can be configured to meet your unique waterfront vision? The modular dock sections even allow you to add dock pieces later, or to reconfigure your dock layout as your needs change. EZ Dock's EZ Designer™ online configuration software, found at [www.ez-dock.com](http://www.ez-dock.com), allows you to create your own system and get a quote on your design from a nearby dealer who can also recommend a suitable anchoring method. When you finish your dock design, you can add PWC or boat lifts, benches, storage, or even a roof system.

EZ Dock, Incorporated is not associated with General Motors Corporation and General Motors Corporation did not participate in the above demonstration. **WARNING:** EZ Dock, Inc. performed the depicted maneuver to demonstrate its product's buoyancy and weight capacity. EZ Dock does not suggest that its products be used as a form of flotation for automobiles, and specifically advises that automobiles should not be driven onto its docks.



## EZ Dock vs. Wood

While there are many advantages of EZ Dock over traditional wood docks, the most significant is reduced maintenance, which can be measured in both time and money saved. EZ Dock sections don't rust or splinter, and they don't have individual boards that need to be replaced or painted. Pressure washing is a thing of the past with EZ Dock. Soap and water from a traditional garden hose are all you need to clean your EZ Dock system.

Additionally, EZ Dock is environmentally friendly, as it allows sun light to filter through, and it will not release harmful chemicals into waterways as treated lumber can often do.


From a comfort standpoint, the light color of EZ Dock makes it cooler than sun-baked wood, with no splinters or rusty nails, so your bare-foot users will thank you!



## HIGH VALUE

EZ Dock knows that a waterfront property is a major investment, and that waterfront owners need stable, versatile and maintenance free docking systems to compliment their investments.


That's why EZ Dock designed its products to be attractive, easy to install, adaptable, and virtually maintenance free. EZ Dock's products are constructed from materials that help them retain their "like new" appearance. This saves time and money spent on maintenance, and thus maximizes your long-term investment. For the best value, choose EZ Dock when replacing an existing dock or designing and installing a new one.



## HIGH QUALITY

EZ Dock is a 20 year old company that is ISO 9001 certified. We utilize state-of-the-art engineering, manufacturing and quality processes to develop and deliver the highest quality dock products in the industry.

Because we are so confident in our product we back it with an 8 year warranty. Our warranty details can be found on our website at [www.ez-dock.com](http://www.ez-dock.com).



Most EZ Dock products are in stock and ready to be delivered, so most dock systems can be purchased and installed right away. With EZ Dock, you don't have to wait to start enjoying your waterfront leisure!



[www.ez-dock.com](http://www.ez-dock.com)

# Applications






### Residential /Property Development

Whether you have a lakeside cottage, oceanfront property, or are part of a homeowners association, EZ Dock can create a dock system tailored for your specific needs.

Let our factory trained distributors/dealers help you make sense of dock permits, local codes, environmental considerations and water conditions that may impact your ultimate design.



### Marinas

Whether you need two slips or 2000, EZ Dock has dedicated and experienced distributors and dealers to help you navigate the process. We will help you understand the challenges that come with new dock development or existing dock replacement while helping you meet all local codes and requirements.

With hundreds of successful marina projects to our credit, EZ Dock can offer you years of experience to help design dock systems and select products that will provide the best solution to your docking needs.



### Restaurants

Increase profits by providing access to patrons arriving by boat, or provide additional dining space with desirable water views. EZ Dock will work with you to provide safe and stable waterfront accessibility. EZ Dock systems can be configured to conform to the latest ADA requirements.

EZ Dock gives you options that make sense, increase customer traffic, and add to your bottom line.





## **Parks, Camps and Recreational Areas**

Do you have fond memories of summer camp—swimming, fishing, canoeing, kayaking, sailing, and waterskiing? The team at EZ Dock does, and we have created numerous dock systems that provide children and adults of all ages EZ access, including ADA accessibility, to the water activities we all love.

Our low maintenance systems are designed specifically for customers that have less staff, time and money to devote to constant dock maintenance. In most cases, EZ Dock can be left in the water all year. Ask your local dealer for recommendations to suit your specific water conditions and needs.



## **Hotels / Resorts**

EZ Dock has installed numerous dock solutions for hotels and resorts worldwide. These docks are used for fishing piers, PWC storage, boat rentals, boat launches and boat shuttle points.

Contact your local EZ Dock distributor to get a free quote.



## **Government / Military**

EZ Dock systems are currently in use for various governmental, military, and police security units worldwide. Whether your fleet consists of PWCs, RIBS, boats, or other watercraft, EZ Dock offers creative design solutions for EZ access to patrolled waters, while keeping budgets in mind.



## Nature Preserves, Wildlife and Environmental Research

Wildlife habitats depend on our wetlands, and we, in turn, need to respect their needs. EZ Dock sections allow light to penetrate through the dock, fostering plant growth that is essential to wildlife.

EZ Dock's designs utilize patented hollow sections that eliminates the use of foam for flotation.

Foam is dangerous to wildlife when it deteriorates and breaks apart, leaving debris in the water. We develop our products to work in harmony with the environment – not against it. EZ Dock contains no toxins or other ingredients that could harm wildlife like treated wood or foam filled products can.



## Special Events

Special water-front events that require floating platforms can present unique challenges. They demand considerable planning and attention to detail to make them fun, entertaining and safe for all involved.

EZ Dock understands this and can help you plan and provide for your special event with docks and floating platforms to accommodate judges, officials, contestants, performers, spectators, press, photographers, etc.

EZ Dock products easily install and dismantle and are perfect for traveling and reoccurring events held in various locations such as ski competitions, fishing tournaments, concerts, golf tournaments and in-water boat shows.



## Rowing

EZ Dock makes a perfect platform for launching rowing skulls.

The unmatched stability and flotation capacity allows for even the largest 8 person teams to safely and confidently carry their skulls to the dock edge for launching. Dock freeboard can be adjusted to the optimum level by adding or removing water ballast from the dock sections as needed.





# Dock Sections



## Corner Gusset Part# 300501

Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.

## Modular, Stable, Cool and Durable

Choose from many different sizes and shapes to get the exact dock configuration you desire. The patented EZ Dock system makes it a snap to install. Just lay out the sections, bolt couplers in place, and tighten down the bolts.

The beige color makes our docks more attractive, and helps them blend with the natural surroundings – but most importantly, it is cooler to the touch.

EZ Dock's patented flotation design creates suction and compression to increase stability. When you walk on an EZ Dock, you will immediately notice the difference. It's not just floating, it's actually creating stability by using the patented hollow chambers on the underside.

The patented connection couplers allow the sections to move independently under high-stress conditions, while still providing unified firmness. EZ Dock's polyethylene construction provides outstanding modularity, superb buoyancy, functionality, and safety. That makes for an extremely versatile dock system.

Use the EZ Designer™ Configuration tool to assist you in creating a dock that meets your needs. Your configuration can be stored or sent to the nearest EZ Dock distributor for pricing and anchoring recommendations.







## Features & Benefits

- Excellent stability on water
- Low or virtually no maintenance
- Beige "cool-to-touch" color
- Safe, slip-resistant surface
- Strength and flexibility
- Secure connection couplers
- Versatile modular design
- Expandable for future growth
- Anchoring systems for all conditions
- Four-season accessibility
- Custom designs available

### Versatile Modular Design


The EZ Dock system is easily configured to suit most any need. Combine various size sections and accessories to create a simple swim platform or an elaborate multiple-slip marina.



A view of the bottom and inside of an EZ Dock section reveals flotation chambers and an extra-heavy wall thickness that creates tremendous structural integrity. The patented flotation chambers (also referred to as pylons) were designed into our dock sections to provide additional stability on the water making EZ Dock the most stable dock on the market. EZ Dock systems do not depend on or need foam fillings thereby eliminating any environmental concerns.

Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions.

U.S. Patent # 5,281,055  
Part# 301100



#### Half Hexagon Dock

EZ Dock adds even more design versatility with our half-hexagon dock option.

	SIZE	WEIGHT	FLOTATION CAPACITY	PART #
A	40" x 5' x 15" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1,000 lbs. 453.6 kg	204060
B	40" x 10' x 15" 1m x 3.1m x 38cm	190 lbs. 86.2 kg	2,000 lbs. 907.2 kg	204010
C	60" x 10' x 15" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg	3,000 lbs. 1360.8 kg	206010
D	80" x 10' x 15" 2m x 3.1m x 38cm	385 lbs. 175 kg	4,000 lbs. 1814.4 kg	208010
E	60" x 10' x 15" (Half-Hexagon) 1.5m x 3.1m x 38cm (Half-Hexagon)	210 lbs. 95.3 kg	2,000 lbs. 907.2 kg	260120
F	Corner Gusset	40 lbs. 18 kg.		300501





# PWC Lifts

## Which EZ Port® is Right For You?

EZ Port revolutionized docking and launching with the original drive-on PWC lift. Still the industry leader, EZ Port is the simplest drive-on, push-off method of dry-docking. The raised bow stop helps to prevent drivers from "overshooting".

There is no winching, cranking, pumping or hoisting necessary and its durability is the reason why EZ Port remains the number one PWC lift in the market.

Self-floating EZ Port moves with changing water levels and helps protect watercraft from damage caused by wind or waves. It is so simple to use that even beginner PWC operators will find boarding and launching a breeze, with foot space on both sides and the front to allow ample access and stability.

EZ Port installation requires just a few tools and very little time. You can use it with your EZ Dock system or with an existing traditional dock. Plus, EZ Port uses adjustable polyurethane rollers to help protect against scratching your PWC investment and to make it easier to dock and launch your watercraft.



**IDLE UP**



**EASE INTO THROTTLE**




**ROLL TO FRONT**



Quick, virtually effortless launching and boarding.

**EZ Port 3**

**EZ Port 2**



**EZ Port & Stow**



**Extension** available for EZ Port 2, allowing easy expansion for use with larger PWCs

## Features & Benefits

- Adjustable rollers
- Safe PWC storage
- Bulkhead
- Three-sided accessibility
- Low maintenance
- Tie up cleat

MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port 2	127" x 60" x 15"	240 lbs.	800 lbs.	206011PW
	3.2m x 1.5m x 38cm	109 kg.	363 kg.	
EZ Port 3	151" x 60" x 15"	280 lbs.	1300 lbs.	206013PW
	3.8m x 1.5m x 38cm	127 kg.	590 kg.	
Extension for EZ Port 2	20" x 60" x 15"	70 lbs.	100 lbs.	206010EX
	.5m x 1.5m x 38cm	27 kg.	45 kg.	
EZ Port & Stow	184" x 60" x 15"	520 lbs.	1450 lbs.	206016PW
	4.7m x 1.5m x 38cm	236 kg.	658 kg.	

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary. US Patent #398,576

# Take Your PWC to the **MAX**

EZ Port MAX® is a Port system that is **M**odular, **A**daptable and **eX**pendable. It is the first port of its kind to offer EZ on and EZ off inline parking for multiple PWC parking.

The EZ Port MAX can be used with standard EZ Dock, traditional fixed, floating or freestanding docks.

## Features & Benefits

- **M**odular for multiple configurations to suit your needs
- **A**daptable to your waterfront situation and watercraft
- **eX**pendable to allow multiple in-line tandem configurations
- Entry sections may be used "head-to-head" for a drive-thru configuration
- One size fits all roller system
- Enhanced fit and form to match a wide range of watercrafts
- Integrated pipe brackets
- Wider and higher hull "cradle"
- Lower entry roller for EZ approach and softer entry
- Easy loading and unloading



MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port MAX Entry	149" x 60" x 11"	315 lbs.	1380 lbs.	206030PW
	3.78m x 1.5m x 28cm	142.8 kg.	626 kg.	
EZ Port MAX Extension	146" x 60" x 11"	328 lbs.	1400 lbs.	206031PW
	3.71m x 1.5m x 28cm	148.8 kg.	635 kg.	
EZ Port MAX, Integrated Bow	149" x 60" x 15"	320 lbs.	1380 lbs.	206032PW
	3.8m x 1.5m x 38.1cm	145 kg.	626 kg.	
EZ Port MAX Easy-Lift Entry	60" x 42" x 15"	95 lbs.	400 lbs.	206033EX
	1.5m x 1.1m x 38.1cm	43 kg.	182 kg.	
EZ Port MAX2 with Easy Lift Entry (Full Bow)	188" x 60" x 15"	490 lbs.	1700 lbs.	206034PW
	4.7m x 1.5m x 38.1cm	222 kg.	771 kg.	
EZ Port MAX2 with Easy Lift Entry (Small Bow)	188" x 60" x 15"	405 lbs.	1700 lbs.	206035PW
	4.7m x 1.5m x 38.1cm	184 kg.	771 kg.	
EZ Port MAX Full Bow Section	39" x 60" x 10"	60 lbs.		206025BS
	1m x 1.5m x 25.4cm	27.2 kg.		
EZ Port MAX Small Bow Section	33" x 10" x 16"	12 lbs.		206027BS
	.83m x 2.54cm x 40.6cm	5.4 kg.		

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary.



# Drive-On Boat Lifts



**NEW!**

## Boat Port™

### EZ Dock's Newest Addition to the Port Line

EZ Dock's new Boat Port is the perfect choice for many skiffs, runabouts, jet boats, and light fishing boats. Adjustable rollers and bunks allow the Boat Port to fit a wide variety of boat shapes and sizes.

Designed like our other EZ Port products with an easy drive-on method of dry docking, the Boat Port is self-floating and can move with the changing water levels.

Keeping your boat high and dry, the Boat Port eliminates the need for winching, cranking, pumping or hoisting.




Designed to fit a wide variety of flat bottom, V-hull, and jet boats

## Features & Benefits

- Self-centering entry roller
- Easy loading & unloading
- Optional flip-up cleat to secure boat to lift
- Customizable skid bunks to fit a variety of hull shapes
- Fully adjustable keel rollers can be added for certain hulls
- Two replaceable rear wear plates
- Supplemental flotation available for added buoyancy
- Multiple T-nut locations for custom bunks/rollers
- Patent Pending



Available with Flip-Up Cleat to secure your boat or watercraft to the lift.



Available with or without skid bunks to fit a large variety of boat sizes & shapes

Shown with Long Bunks

Shown with Short Bunks

Supplemental Flotation

MODEL	Size	Weight	Flotation Capacity*	Part #
Boat Port	164" x 78" x 15" 4.2m x 2m x 38.1cm	550 lbs 249 kg	1800 lbs/2500 lbs** 817 kg / 1134 kg	208015BL
Short Bunk	75" x 8" x 5" 1.9m x 20cm x 12.7cm	33 lbs 15 kg	-	208102
Long Bunk	108" x 8" x 10" 2.7m x 20cm x 25.4cm	35 lbs 16 kg	-	208101
Supplemental Flotation*	40" x 20" x 8" (includes attachment strap) 102m x 51m x 20cm	65 lbs 29 kg	450 lbs* 204 kg	208100
Standard Winch	9" x 7" x 20" 23cm x 18cm x 51cm	38 lbs 17 kg	-	100729
12" Keel Roller	14" x 2.5" x 2.5" 36cm x 6cm x 6cm	10 lbs 5 kg	-	250012
Flip-Up Cleat	8" x 6" x 1" 20cm x 15cm x 3cm	3 lbs 1 kg	-	250060

\*Supplemental Flotation provides 450 lbs. of additional flotation and comes complete with 2 flotation units and an attachment strap.  
 \*\* Theoretical flotation capacity. Actual capacity dependent upon weight distribution.





# Drive-On Boat Lifts



**EZ Port IV**



**EZ Port IV with storage unit**



**Storage**

Create a place for your boating gear. Add EZ Dock's bulk head storage bin to your Port IV for storage, winching, or just to create a barrier.



**Extension**

Add an extension or two depending on the length of your boat to increase the flotation capacity of the lift.



**EZ On and Off**

The Port IV makes lifting boats EZ. No mechanical action or external power required. Just idle up and roll aboard. Port IV can accommodate many boat models—just ask your dealer for more details.

**EZ Port IV**

The EZ Port IV offers the same EZ drive-on docking and launching capabilities as a regular EZ Port for a PWC, but is made specifically for V-hull boats up to 23' (7m). It is the largest drive on port on the market and you can mount it to your current EZ Dock system, existing dock, or use as a stand alone.

**Features & Benefits**

- Flip-up front cleat
- Sixteen optional roller positions to accommodate most boats
- Fixed position stern roller
- Three bed-way rollers with adjustable positions
- Bulkhead (forward stop)
- Optional bow/winch storage module

MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port IV	168" x 80" x 15"	500 lbs.	1600 lbs.	208014PW
	4.25m x 2.0m x 38cm	227 kg	725 kg.	
48" Extension	48" x 80" x 15"	240 lbs.	400 lbs.	208014EX
	1.2m x 2.0m x 38cm	80 kg.	181 kg.	
24" Entry Extension	24" x 80" x 15"	100 lbs.		228014EX
	60cm x 2.0m x 38cm	45 kg.		
Supplemental Flotation	40" x 20" x 8"	20 lbs.	225 lbs.	208014FL
	1m x .5m x 20cm	9 kg.	60 kg.	
Bow/Winch**	60" x 80" x 15"	250 lbs.		208014BW
	1.5m x 2m x 38cm	90 kg.		

\*When attached to an EZ Dock product. Supplemental flotation available for specific applications. Note: Because of the rotomolding process, weights and dimensions may vary. US Patent #398,576

\*\*Items can be sold separately.



24" Entry Extension

Supplemental Flotation

48" Extension



www.ez-dock.com



# Winch-On Boat Lifts



## After a Long Day on the Water

When your day of boating fun and sun has ended, pulling onto the EZ Dock boat lift is as simple as loading it onto a roller bed trailer. Simply idle up and winch your boat onto the lift. This lift will keep your boat high and dry - free from impacts, floating debris, algae and barnacles.

The EZ Dock boat lift system is engineered for most fiberglass V-style hull boats. Multiple adjustable rollers can accommodate boats with a 14 to 21 degree dead-rise angle. By positioning the rollers in four possible configurations on two trays, eight different heights can be achieved to suit your needs.

You can configure regular EZ Dock sections to create a horseshoe-shaped docking system for other watercraft including pontoons, catamarans and even seaplanes. Let us help you customize a system to fit your needs.

## Features & Benefits

- Adjustable polyurethane rollers
- High-quality winch system
- Protective bow stop
- Modular intermediate section
- Sculpted stern section aids loading and unloading
- Low maintenance
- Cool beige color
- Boat launching strap (for specific applications)



**HOOK UP**




**WINCH ON**



**DOCKING COMPLETE**

## Boat Lift Configurations

	MAXIMUM BOAT WEIGHT	DOCK DIMENSIONS LENGTH X WIDTH
12' (3.7m) - 14' (4.3m) Boat Length		
A	1500 lbs. (680 kg)	13' x 10' (4m x 3m)
B	1600 lbs. (726 kg)	15' x 10' (4.6m x 3m)
C	2100 lbs. (953 kg)	15' x 10' (4.6m x 3m)
14' (4.3m) - 17' (5.2m) Boat Length		
D	2300 lbs. (1043 kg)	18' x 13' (5.5m x 4m)
16' (4.9m) - 18' (5.5m) Boat Length		
E	1700 lbs. (771 kg)	18' x 10' (5.5m x 3m)
F	1800 lbs. (816 kg)	20' x 10' (6m x 3m)
G	2100 lbs. (953 kg)	20' x 20' (6m x 6m)
H	2300 lbs. (1043 kg)	20' x 13' (6m x 4m)
I	2600 lbs. (1179 kg)	20' x 16' (6m x 4.9m)
17' (5.2m) - 19' (5.8m) Boat Length		
J	2500 lbs. (1134 kg)	20' x 13' (6m x 4m)
K	2900 lbs. (1315 kg)	20' x 16' (6m x 4.9m)



Stern section adds 18" (46cm) to length of dock.

### 1. Winch/Bow Stop Section #204005FL

20" (50cm) Long, 40" (1m) Wide,  
15" (38cm) High.

Section Weight: 45 lbs. (20 kg)  
Winch: Fulton XLT series 1400 lbs..  
(635 kg) winch, 20' (6.1m)  
strap, and hook.

### 2. Intermediate Roller Section #204020FL

20" (50cm) Long, 40" (1m) Wide,  
15" (38cm) High.

Section Weight: 45 lbs. (20 kg)  
Rollers: One adjustable roller.

### 3. Stern Roller Section #204670FL

60" (1.5m) Long, 40" (1m) / 70" (1.8m) Wide,  
15" (38cm) High.

Section Weight: 150 lbs. (68 kg)  
Rollers: Two adjustable rollers.  
One fixed rear roller.

### 4. Example: Assembled Lift

3 - 40" (1m) x 10' (3m) x 15" (38cm)  
dock sections combined with the Bow Stop,  
Intermediate Roller, and Stern Roller Sections.

Maximum Boat Weight:  
1500 lbs. (680 kg)  
Overall Dock Dimensions:

13' (4m) x 10' (3m)  
Boat Length: 12' (3.7m) - 14' (4.3m)

### 5. Support Truss Kit #92405FL

Recommended for use on all boat lifts  
with boats exceeding 1,800 lb.

### 6. Boat Launch #900070

### 7. Side Stabilizer Roller Kit #60000SS




Additional flotation available for heavier boats.  
Stern section adds 18" (46cm) to length of dock.  
Because of the rotomolding process, weights and dimensions may vary.



www.ez-dock.com

# EZ Launch



now with **Accessible Transfer System**

## Universal Accessibility

EZ Dock has taken accessibility to another level with their new EZ Launch® Accessible Transfer System for Kayaks and Canoes. A first in the industry, the Accessible Transfer System provides individuals with disabilities universal accessibility that exceeds the minimum requirements of the ADA. The Transfer Bench is built with two heights for easy transfer from wheelchairs of varying sizes and two Transfer Slide Boards to accommodate differing watercraft heights. The Transfer Slide Boards land securely on a railing system that stabilizes the slide board and provides grab bar assistance for easy side movement. All users can simply sit, slide over and drop down into a kayak or canoe then utilize the side rails to pull off or back on.

### Features & Benefits

- Guide rails provide for easy access in and out of the water
- Launch rollers for easy movement of the watercraft
- Transfer bench with 2 heights for easy transfer from wheelchairs of varying sizes
- Transfer Slide Boards with 2 heights for differing watercraft sizes
- Railing system for Slide Board stabilization and user transfer support for easy side movement
- Constructed of all marine grade components and anodized aluminum
- Floating platform adjusts to changing water levels
- Exceeds the minimum requirements of the ADA



**2 Level Transfer Bench**



**Transfer Slide Boards**



## Make Your Nature Trail Accessible to All

The EZ Trail® system from EZ Dock is a smart way to create accessible ramps and pathways in your woodland, wetland, or any other place you need a safe and durable walking platform. Our patented system is less invasive, and the large interconnecting, modular sections are simple to install. In addition, you can easily add sections as needed, or re-configure your walkway anytime you like.

Treated wood and foam-filled products can be dangerous to wildlife habitats, but EZ Trail utilizes only safe, non-toxic materials. The hollow sections provide stable flotation, and they can be suspended above vegetation during periods of low water, so as not to harm the habitat.

Our goal is to effectively and efficiently meet all of your outdoor walkway needs, while working in harmony with the environment - not against it. Simply put, EZ Trail makes it easy for anyone to enjoy nature at anytime in any setting.

### Features & Benefits

- Versatile and expandable self-floating design that is suitable for land and water
- Easily moved unlike fixed walkways, ramps, piers or docks
- Less invasive because it does not require permanent foundation
- Made from low-maintenance and non-toxic materials
- Light can penetrate to foster plant growth beneath
- Suspensible above vegetation by use of supports
- Beige color is attractive and blends with natural surroundings
- Universal accessibility



# Anchoring

## Hold Steady Mate

Once you have created your EZ Dock, you will need to select an anchoring system to work with your existing piling or with your new installation.


Our wide-variety of anchoring components can accommodate most water conditions and bottoms (deep, shallow, rough, muddy or sandy), and are simple to install. EZ Dock anchoring products are made from long-lasting, durable materials that can accommodate standard or heavy-duty demands. Your local dealer can help you select the anchoring system that is right for your location.



### Pipe Augers

Part# 100255 or 100355

Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.



### Adapter Hinge

Part# 100750 or 100750SS

Reversible hinge allows you to bolt EZ Port PWC lifts or EZ Dock sections to other types of floating docks. *Set of 2*



### Stiff-Arm Heavy-Duty

Part# 800099

Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.



### Heavy-Duty Pipe Bracket

Part# 210250 or 210350

Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.



### Pipe Bracket

Part# 130250 or 130350

Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.



### Pipe Stand-Off Bracket

Part# 1051000

Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe from 2.5" (6cm) to 3.5" (9cm) O.D.



**Deadweight Bracket (Heavy Duty)**

Part# 210350 and 100725P

Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.



**Deadweight Winch Insert**

Part# 210350 and 100730

Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.



**Deadweight Bracket (Standard Duty)**

Part# 100740 or 100740SS

For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Chain sold separately. *Set of 2*



**Deadweight Stiff Arm Combo Bracket**

Part# 100700, 800095-20

This combination bracket can be used with both EZ Dock's deadweight or stiff arm anchoring system.



**Piling Bracket**

Part# 300800

Heavy-duty polyethylene bracket allows lateral position adjustment to attach to piles up to 18" (46cm) in diameter.



**Piling Bracket and Hoop**

Part# 100800, 100812 (shown)

Mainframe piling bracket is pre-drilled for hoops from 4" (10cm) to 24" (61cm) wide. Includes connectors with nuts. Hoops sold separately.



# Gangways

## Gangways

Engineered with the same technology and quality as our EZ Dock sections, our gangways offer the same uncompromised durability and modular versatility. We offer gangways manufactured from aluminum, wood, or polyethylene (the patented version).

Our polyethylene gangway is available in 6-foot (1.82m) sections, that can be combined to lengths of 12 feet (3.65m) or 18 feet (5.48m). To compliment the gangways, railings are also available for added safety.

### Gangway (Aluminum)

Part# G110208 to G100524



Our aluminum gangway features welded construction with an available ThruFlow™ decking walkway. Available in five lengths, from 8' to 24' and four widths: 2', 3', 4' & 5'.

### Transition Plate

Part# G200350, G200450 or G200550



Our gangway transition plate with ThruFlow™ decking creates a sturdy transition between the shore grade and aluminum gangway. Available in three widths: 3', 4', and 5'.

### Gangway Roller Kit

Part# 300300, 300400 or 300350



Gangway roller kit allows end of gangway to adjust with changing water levels. PVC roller for 3' (0.91m) and 4' (1.2m) length; galvanized steel roller for 5' (1.5m) length.

### Poly Gangway


Part# 400406 (6' section)



Shown above with two 6' sections installed with the 12' Aluminum Tube Support Kit (Part# 401412) and optional 12' Hand Rail (Part# 400912).

### Abutment Kit

Part# G200465



Hinged bracket with hardware attaches gangway to shoreline abutment. Available in 60" (1.5m) width.

### Float Hinge Bracket

Part# G200360, G200460, G200560



Hinged bracket with hardware attaches gangway to dock. Available in 2, 3, & 4 pocket connection.

### Gangplank Mounting Kit


Part# 100240, 100340 or 100600




Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide. Lumber not included.

### Plank Gangway (Polyethylene)

Part# 200200



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.



[www.ez-dock.com](http://www.ez-dock.com)

# Accessories

## Accessories Make the Dock

You can add your own signature to your dock by adding an array of accessories from EZ Dock. To add your personal touch and accommodate your personal needs, choose from a wide variety of storage boxes, cleats, benches and ladders.

EZ Dock even has slides to entertain the kids - and has added safety features.

Most accessories can be used with existing docks, and are engineered for the low-maintenance and durability that you have grown to expect from EZ Dock.

The EZ Dock team continues to develop new accessories for your EZ Dock system and for existing docks made of other materials. We understand that you may want to add more trimmings later, so check out our website for the latest in accessories at [www.ez-dock.com](http://www.ez-dock.com).



### Swim Ladder

Part# 300260

One-piece polyethylene ladder is designed with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface offers maximum safety. U.S. Patent # 389,923

### Dock Slide

Part# 300600



The EZ Dock slide adds a little fun for all ages.

### EZ Stow Storage Box

Part# 300750



Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

### Corner Storage Box

Part# 300760



Roomy storage in a compact design that makes the most of available space without interfering with foot traffic. Connection boxes for complete utility hookups through storage box are also available.

### EZ Float Step Ladder

Part# 300270



Patent pending aluminum ladder with polyethylene float that keeps the ladder out of the water when not in use but is readily available when needed.

### Polyethylene Bench Kit

Part# 300970 or 300965 without arms



A complete hardware kit that allows construction of a durable polyethylene dock bench.

### Tie-Up Cleat

Part# 300100



Tie-down cleats 8" (20cm) and other accessories attach to heavy-duty stainless steel T-nuts molded in pairs around dock section perimeters.

### 10" Tie-Up Cleat

Part# 300110



Made from aluminum, the 10" Tie-Up Cleat is designed for larger dock lines.

### Corner Gusset

Part# 300501



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.

**Dock Edging**  
Part# 400117



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

**Dock Bumper**  
Part# 300180



The dock bumper is designed to protect the boat rub-rails. Dock bumper will attach to dock using embedded T-nuts.

**Dock Wheels**  
Part# 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

**Utility Channel Inside Corner**  
Part# 302030



Utility conduit can be tucked neatly inside two-piece chaseway attached at junction of dock sections. Available with stainless-steel hardware.

**Utility Channel Outside Corner**  
Part# 302040



Convenient for installations in which dock layout requires utility conduit to be installed around the outside corner of a dock section. Available with stainless-steel hardware.

**Utility Channel**  
Part# 302060 (60" Length)  
Part# 302020 (20" Length)



Two-piece, 20" wide chaseway attaches to side of dock sections, allowing conduit for utilities. Available in 60" or 20" long sections, and with stainless-steel hardware option.

**Security Curbing**  
Part# 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

**Supplemental Flotation**  
Part# 206013FL



Attaches under dock sections and EZ Port lifts to increase the flotation capacity in specific applications.

**Corner Dock Wheel**  
Part# 300537



Help protect your dock from approaching watercraft with EZ Dock's corner dock wheel.

**Transition Kit (Polyethylene)**  
Part# 100717 (15") or 100718 (30")



Hinged polyethylene plate creates a smooth transition between EZ Dock or EZ Port and another floating dock.

**Coupler Kit**  
Part# 301100



Standard coupler kit includes two couplers, one bolt, and one nut. Couplers are made from recycled material and are noncorrosive.

**Winch**  
Part# 91400



Add EZ Dock's new winch to help stow your watercraft. Strap sold separately.

**In-Water Installation Tool**  
Part# 9000010



Coupler installation tool simplifies in water connection of couplers.

**Hardware Connector Male**  
Part# 201040SS




For attaching various accessories.

**Hardware Connector Female**  
Part# 201041SS



For attaching various accessories.





# Railings

## Style 910

Part# 100910, 105910



10' (3m) Width

## Style 911

Part# 100911, 105911



5' (1.5m) Width

## Style 912

Part# 100912, 105912



10' (3m) Width

## Style 913L


Part# 100913L, 105913L



10' (3m) Width

## Style 913R

Part# 100913R, 105913R



10' (3m) Width

## Style 914L

Part# 100914L, 105914L



5' (1.5m) Width

## Style 914R


Part# 100914R, 105914R



5' (1.5m) Width

## Style 915

Part# 100915, 105915



5' (1.5m) Width

## Style 916\*


Part# 100916, 105916



5' (1.5m) Width

## Style 917


Part# 100917, 105917



80" (2m) Width

## Style 918


Part# 100918, 105918



80" (2m) Width

## Style 919


Part# 100919, 105919



40" (1m) Width

## Style 920\*

Part# 100920, 105920



40" (1m) Width


## Safe, Secure, and Code Compliant!

For commercial or residential uses, take comfort that EZ Dock modular railings conform to SOBA and ADA guidelines.

Railing sections are available in a variety of lengths and profiles designed to provide security with minimal obstruction. Choose from the standard hot-dipped galvanized finish, a powder-coated color finish, stainless steel or our new aluminum option.

\*These styles are equipped with holders for fishing rods.

Dock sections are 15 inches (38.1 cm) high and displace just a few inches of water, resulting in approximately 14 inches (35.56 cm) of freeboard height showing above the water line.






Also available in five powder-coated colors & stainless steel:



Forest Green



Brown



Royal Blue




Sand



Stainless Steel



[www.ez-dock.com](http://www.ez-dock.com)



# Worldwide Distribution Network



**EZ Dock's extensive worldwide distribution network is standing by to support your projects. No matter how large or small, they can help make your dock dreams reality.**

EZ Dock is the world's market leading floating dock and PWC lift manufacturer. Engineered for low maintenance and durability, EZ Dock is the most stable, patented floating dock system on the market. From commercial events to personal recreation, EZ Dock's modular dock designs, boat lifts, PWC lifts and dock accessories make it EZ to create your perfect waterfront setting.



Try our EZ Designer™ Configuration Tool located on our website to create your perfect dock. Call your local dealer today!

## US/Canada

1-800-654-8168  
ez-dock.com

## Europe

+46 (0) 380 47 300  
ezdockeurope.com

## International

+1-417-235-2223  
ez-dock.com



**EZ Dock Plant**  
**Monett, MO, USA**



[www.ez-dock.com](http://www.ez-dock.com)

Contact Your Local Dealer Today  
**For Your Dock Of Tomorrow.**



[www.ez-dock.com](http://www.ez-dock.com)



**US: 1-800-654-8168**  
**[www.ez-dock.com](http://www.ez-dock.com)**

**Europe: +46 (0) 380-47-300**  
**[www.ezdockeurope.com](http://www.ezdockeurope.com)**

**Intl: +1-417-235-2223**  
**[www.ez-dock.com](http://www.ez-dock.com)**

A division of



PlayPower, Inc



EZ Dock is certified to ISO-9001, documenting the complete quality control systems that support our commitment to your satisfaction.

© 2011 EZ Dock, Inc. EZ Dock, Inc. is a division of PlayPower, Inc. EZ-CAT-2011v2